



DEEPAK HEALTH CARE PRODUCTS

HEALTH SPECIALTY PRODUCTS

ISO 9001:2015 & 13485:2012 Certified Company





DEEPAK HEALTH CARE PRODUCTS established in the year 2015 with a vision to become the most reliable name as an OEM of Hospital Furniture & OT Equipment under the brand name DHC PRODUCTS. We are an ISO 9001, ISO 13485 MSME & CE Certified Company. Our Office is located in Kolkata and equipped with the latest tools and machinery for manufacturing high quality products. Our products are supplied all over India in Govt. & Pvt. Hospitals, Nursing Homes and Medical Colleges. We are a regular exporter of our goods to various parts of India.





ELECTRICALLY AND MANUALLY OPERATED C- ARM

COMPATIBLE OPERATING TABLE

Description:

- 100% life saving due to low voltage electricity supply
Offline battery backup up to 1hr.
- 180 kg weight capacity
- Full table function, articulation capability
- Full body imaging without special accessories
- Durable one touch pendant control
- Casters lockable with single action brake
- Fully stainless steel 304 grade acuity
- Electrical and mechanically operated
- Height, trendelenburg / reverse, lateral tilt and sliding top
- Top dimension: L 1980 x W 533 mm
- Height adjustment with pad 750 mm – 1050 mm
- Longitudinal / Sliding Top 300 mm
- Trendelenburg / Reverse Trend. 30° / 25°
- Lateral tilt left / right 20° / 20°
- Kidney elevator: 150 mm
- Back Rest (upward / downward): 80° / 25°
- Leg Rest (upward / downward): 15° / 90°
- Head Rest (upward / downward): 25° / 90°
- Power supply 24V DC
- Battery backup -3 hrs
- Patient weight capacity: 300 Kg's



ORTHOPEDIC ATTACHMENT



Electro Hydraulic Operating Table

Description:

- 100% life saving due to low voltage electricity supply
Offline battery backup up to 1hr.
- 180 kg weight capacity
- Full table function, articulation capability
- Full body imaging without special accessories
- Durable one touch pendant control
- Casters lockable with single action brake
- Fully stainless steel 304 grade acuity
- Electrical and mechanically operated
- Height, trendelenburg / reverse, lateral tilt and sliding top
- Top dimension: L 1980 x W 533 mm
- Height adjustment with pad 750 mm – 1050 mm
- Longitudinal / Sliding Top 300 mm
- Trendelenburg / Reverse Trend. 30° / 25°
- Lateral tilt left / right 20° / 20°
- Kidney elevator: 150 mm
- Back Rest (upward / downward): 80° / 25°
- Leg Rest (upward / downward): 15° / 90°
- Head Rest (upward / downward): 25° / 90°
- Power supply 24V DC
- Battery backup -3 hrs
- Patient weight capacity: 300 Kg's



OPERATION THEATRE LIGHT (DOUBLE AND SINGLE DOME)



Description:

- Max Light Intensity at 1m (lux) : 120,000 + 120,000 + 90,000
- No. of LED's : 76 + 76 + 57
- LED's Life time : > 40,000
- Dome diameter : 580mm, 580mm, 580mm
- Colour Rendering Index (RA) : 96
- Colour temperature in kelvin : 3500 - 6200K
- Focus Adjustment : Manually / Preadjusted
- Control on diameter : 150 or more
- Endoscopy Mode : Available Input Voltage AC 220 / 50-60Hz

OPERATION THEATRE LIGHT (SPOT)

Description:

- Technical Specification
- Max. Light Intensity at 1m (lux) : 120,000
- No. of LED's : > 40,000
- Dome diameter : 580mm
- Colour Rendering Index (RA) : 96
- Colour temperature in kelvin : 3500 - 6200K
- Focus Adjustment : Adjustable manually
- Control on dome : Digital
- Light field Diameter : 150 or more
- Endoscopy Mode : Available
- Input Voltage : AC 220 / 320V / 50-60 Hz



OPERATION THEATRE LIGHT (DOUBLE AND SINGLE DOME)



Description:

- Max Light Intensity at 1m (lux) : 120,000 + 120,000 + 90,000
- No. of LED's : 76 + 76 + 57
- LED's Life time : > 40,000
- Dome diameter : 580mm, 580mm, 580mm
- Colour Rendering Index (RA) : 96
- Colour temperature in kelvin : 3500 - 6200K
- Focus Adjustment : Manually / Preadjusted
- Control on diameter : 150 or more
- Endoscopy Mode : Available Input Voltage AC 220 / 50-60Hz

OPERATION THEATRE LIGHT (SPOT)




Description:

- Technical Specification
- Max. Light Intensity at 1m (lux) : 120,000
- No. of LED's : > 40,000
- Dome diameter : 580mm
- Colour Rendering Index (RA) : 96
- Colour temperature in kelvin : 3500 - 6200K
- Focus Adjustment : Adjustable manually
- Control on dome : Digital
- Light field Diameter : 150 or more
- Endoscopy Mode : Available
- Input Voltage : AC 220 / 320V / 50-60 Hz

LUXURY ICU ELECTRIC BED

Description:

- Main frame made of CRCA pipe & Four sectional perforated CRCA sheet.
- Advanced linear actuator system to obtain all position.
- Four pieces individual imported butterfly side railings, ABS moulded.
- Imported ABS moulded head & foot panel with locking and corner buffer.
- Bed mounted on 125mm double swivel castor.
- Holder for urine bag.
- SS telescopic IV rod with four location.
- Position obtained by Electric hand remote :
01. Hi-low 02. Back-rest elevation 03. Knee-rest elevation
04. Trendelenburg and Reverse Trendelenburg.
- Overall Approx Size: 78L X 35.5W X 18-27H inch.
- Finish: pretreated & epoxy Asian paint powder coated.
- Maximum Loading Capacity: 220kg.



- **Optional : ICU Bed Mattress.**



MANUAL ICU BED WITH BUTTERFLY RAIL

Description:

- Main frame made of CRCA pipe & Four sectional perforated CRCA sheet.
- Manual crank system to obtain back rest position.
- Four pieces individual imported butterfly side railings, ABS moulded.
- Imported ABS moulded head & foot panel with locking
- Bed mounted on 125mm double swivel castor.
- Holder for urine bag.
- SS telescopic IV rod with four location.
- Position obtained by Manual crank system :
01. Hi-low 02. Back-rest elevation 03. Knee-rest elevation
04. Trendelenburg and Reverse Trendelenburg.
- Overall Approx Size: 78L X 35.5W X 18-27H inch.
- Finish: pretreated & epoxy Asian paint powder coated.
- Maximum Loading Capacity: 220kg

- **Optional : ICU Bed Mattress.**

MANUAL ICU BED COLLAPSIBLE RAIL

Description:

- Main frame made of CRCA pipe & Four sectional perforated CRCA sheet.
- Manual crank system to obtain back rest position.
- Collapsible type Six step side safety railing.
- Imported ABS moulded head & foot panel with locking
- Bed mounted on 125mm double swivel castor.
- Holder for urine bag.
- SS telescopic IV rod with four location.
- Position obtained by Manual crank system :
01. Hi-low 02. Back-rest elevation 03. Knee-rest elevation
04. Trendelenburg and Reverse Trendelenburg.
- Overall Approx Size: 78L X 35.5W X 18-27H inch.
- Finish: pretreated & epoxy Asian paint powder coated.
- Maximum Loading Capacity: 220kg

- **Optional : ICU Bed Mattress.**



FOWLER BED WITH BUTTERFLY SIDE RALINGS

Description:

- Main frame made of CRCA pipe & four sectional perforated CRCA sheet.
- Manual crank system to obtain all position.
- ABS head and foot board four pieces individual ABS side safety railing.
- Bed mounted on 100mm special Castors / Wheels.
- Holder for Urine bag.
- Four location for I.V. rod.
Position obtained by manual Crank :
01. Back-rest Elevation 02. Knee-rest Elevation
- Overall size: 78L X 35.5W X 24H inch
- Finish: pretreated & epoxy Asian paint powder coated.

- **Optional: Fowler Bed Mattress.**



HOSPITAL FOWLER BED DELUXE MODEL

Description:

- Main frame made of CRCA pipe & four sectional perforated CRCA sheet.
- Manual crank system to obtain all position.
- Bed mounted on 100mm special Castors / Wheels.
- Collapsible type Six step side panels.
- ABS head & leg side panel.
- Holder for Urine bag.
- Four location for I.V. rod.
- Position obtained by manual Crank :
01. Back-rest Elevation 02. Knee-rest Elevation
- Overall size: 78L X 35.5W X 24H inch
- Finish: pretreated & epoxy Asian paint powder coated.

- **Optional: Fowler Bed Mattress.**



FOWLER BED GENERAL MODEL

Description:

- Main frame made of CRCA pipe & four sectional perforated CRCA sheet.
- Manual crank system to obtain all position.
- MS head and Foot panels of unequal height with MS Drop-type rail.
- Holder for Urine bag.
- Four location for I.V. rod.
- Position obtained by manual Crank :
01. Back-rest Elevation 02. Knee-rest Elevation
- Overall size: 78L X 35.5W X 24H inch
- Finish: pretreated & epoxy Asian paint powder coated.

- **Optional: i. Fowler Bed Mattress.**
ii. Side Railing S.S.



SEMI FOWLER BED DELUXE MODEL

Description:

- Main frame made of CRCA pipe & Two sectional perforated CRCA sheet.
- Manual crank system to obtain back-rest position.
- Bed mounted on leg fitted rubber stumps.
- Collapsible type Six step side panels.
- ABS head & leg side panel.
- Holder for Urine bag.
- Four location for I.V. rod.
- Overall size: 78L X 35.5W X 24H inch
- Finish: pretreated & epoxy Asian paint powder coated.

• **Optional: Semi-Fowler Bed Mattress.**



SEMI FOWLER BED GENERAL

Description:

- Main frame made of CRCA pipe & Two sectional perforated CRCA sheet.
- Manual crank system to obtain back-rest position.
- Bed mounted on leg fitted rubberstumps.
- MS / laminated wooden panel designed head and leg bows.
- Holder for Urine bag.
- Four location for I.V. rod.
- Overall size: 78L X 35.5W X 24H inch
- Finish: pretreated & epoxy Asian paint powder coated.

• **Optional: i.Semi-Fowler Bed Mattress.
ii.Side Railing M.S.**



HOSPITAL PEDIATRIC SEMI FOWLER BED

Description:

- Main frame made of CRCA pipe & Two sectional perforated CRCA sheet.
- Back rest adjustable by ratchet system.
- MS head and leg bows of equal height and side-drop railing by knob system.
- Overall size: 78L X 35.5W X 24H inch
- Finish: pretreated & epoxy Asian paint powder coated.

• **Optional: Mattress.**



GENERAL PLAIN BED

Description:

- Frame work made of rectangular MS tube & CRCA perforated sheet.
- MS tubular head and leg bow of equal height
- Mounted on leg fitted rubber stumps.
- Overall size: 76L X 35.5W X 24H inch.
- Finish: pretreated & epoxy Asian paint powder coated.

• **Optional: Mattress.**



PLAIN BED DELUXE MODEL

Description:

- Main frame made of CRCA pipe and perforated CRCA sheet.
- ABS head and foot panel.
- Mounted on leg fitted rubber stumps
- Overall size: 76L X 35.5W X 24H inch.
- Finish: pretreated & epoxy Asian paint powder coated.

• **Optional: Plain Bed Mattress.**

HOSPITAL PLAIN BED (FOLDING)

Description:

- Main frame made of MS angle and CRCA sheet.
- Mounted on leg fitted rubber stumps.
- Tubular head and foot bows unequal height.
- Overall size: 74L X 35W X 24H inch.
- Finish: pretreated & epoxy Asian paint powder coated.

• **Optional: Plain Bed Mattress.**



ATTENDANT BED

Description:

- Main frame made of CRCA pipe and perforated CRCA sheet.
- MS designed head and leg bows
- Leg fitted rubber stumps
- Overall size: 70L X 24W X 24H inch.
- Finish: pretreated & epoxy Asian paint powder coated.

• **Optional: Attendant Bed Mattress.**

BED SIDE LOCKER (DELUXE MODEL)



Description:

- Three side Enclosed with 1mm machine pressed CRCA sheet.
- One having drawer and cabinet.
- Mounted on 50mm twin castors
- Finish: Pre-treated and Asian paint powder coated.
- Overall size: 16L X 16W X 32H inch

BED SIDE LOCKER (ABS MODEL)



Description:

- Three side Enclosed with 1mm machine pressed CRCA sheet.
- One having drawer and cabinet.
- Uper top & door made by ABS Materials.
- Mounted on 50mm twin castors
- Finish: Pre-treated and Asian paint powder coated.
- Overall size: 16L X 16W X 32H inch.

BED SIDE PLAIN LOCKER



Description:

- CRCA Sheet construction .
- Having one box & SS top.
- Leg fitted with rubber stumps.
- Overall size: 16L X 16W X 30H inch.


BED SIDE LOCKER FULL ABS



Description:

- ABS mounted material construction
- Having one box, One drawer & One Tea tray.
- Mobile on 50mm twin castors
- Overall size: 19L X 19W X 32H inch.

IV STAND ALL SS



IV STAND FIBRE BASE




IV STAND ALL MS (SS HOOK)



BABY WARMER



LED PHOTOTHERAPY UNIT



SYRINGE PUMP STAND



STRETCHER TROLLEY (SS)

Description:

- SS tubular construction with SS removable stretcher.
- Mounted on 150mm castor with Two Brakes.
- Oxygen cage and saline hook.
- Swing away type safety side railing.
- Overall size: 80L X 22W X 32H inch.
- Finished : Mirror & Glossy polished.



STRETCHER TROLLEY (MS BASE SS TOP)

Description:

- MS tubular construction with SS removable stretcher.
- Mounted on 125mm dia. Castors (Two with breaker)
- Oxygen cage and saline hook.
- Swing away type safety side railing.
- Overall size: 80L X 22W X 32H inch.
- Finish: pretreated & epoxy Asian paint powder coated.

STRETCHER TROLLEY WITH MATTRESS

Description:

- Frame work made of tubular MS pipe with SS handle.
- Swing away type safety side railing.
- Trolley mount on 125 mm Dia castors with two breakes
- Overall size: 80L X 22W X 32H inch
- Finish: mirror & Glossy polished.



EMERGENCY & RECOVERY TROLLEY (HYDRAULIC)

Description:

- Main frame made of rectangular heavy CRCA pipe.
- Height adjustment by foot operated hydraulic pump.
- Trolley mobile on 125mm castors / wheels.
- Two sectional X-ray translucent top with mattress & tray for holding X-ray cassettes.
- Pneumatic mechanism for trendelenburg / reverse trendelenburg positions.
- Head raise by ratchet system.
- Provided with Collapsible side safety railing, utility tray, cylinder cage & SS I.V. rod.
- Size : 80L X 22W X 24-36H inch.
- Finish: pretreated & epoxy Asian paint powder coated.



MANUAL EMERGENCY RECOVERY TROLLEY

Description:

- Main frame made of rectangular heavy CRCA pipe.
- Height adjustment by smooth crank mechanism.
- Trolley mobile on 125mm castors / wheels.
- Two sectional X-ray translucent top.
- Pneumatic mechanism for trendelenburg / reverse trendelenburg positions.
- Head raise by ratchet system.
- Provided with Collapsible side safety railing, utility tray, cylinder cage & SS I.V. rod.
- Size : 80L X 22W X 24-36H inch.
- Finish: pretreated & epoxy Asian paint powder coated.



Dialysis Chair Electrical

Description:

- Frame work made of CRCA Tubular & Rectangular pipe.
- Three-Section platform top with Adjustable Height with High Density moulded Pu Mattress.
- Advance linear actuator to obtain all position by hand.
 - i) Hi- Low ii) Back-rest Elevation iii) Knee-rest Elevation
- Telescopic heavy iv rod with 4 hooks.
- Mounted on 125 mm diagonal locking heavy duty casters.
- Foam padded Adjustable Hand Rest on Both Sides.
- Finish : pre-treated epoxy Asian paints powder coated.
- Overall size: 71L X 30W X 26-38H inch.



CARDIAC TABLE



Description:

- Rectangular frame work mounted on 5 cms castors,
- ABS top adjustable by gear handle / knob systems.
- Pre-treated and Epoxy Asian paint powder coated.
- Size : 32L X 16W inch

CARDIAC TABLE ALL SS



Description:

- Complete made of SS
- Height adjustable by side knob system with two stands.
- Mobile on 50mm castors /wheels
- SS Tray size : 22L X 18 W inch
- Height adjustable 32" to 54"

HOSPITAL MAYO TROLLEY



Description:

- Complete made of SS
- Height adjustable by side knob system.
- Mobile on 50mm castors /wheels
- SS Tray size : 22L X 18W inch
- Height adjustable 32" to 54"

OVER BED TABLE (GENERAL)



Description:

- Tubular frame work mounted on 5 cm castors.
- Top Fixed membrane press ABS/ Salmica top.
- Overall Size: 42L X 16W X 39H inch.
- Finish: Pre-treated and Asian paint powder coated.

BED SIDE SCREEN



Description:

- Mobile on 50mm castors / wheels.
- Provided with superior quality curtain
- Pre- treated and epoxy Asian paint powder coated.
- Overall Size: 93L X 65H inch.

CRASH CART TROLLEY



Description:

- Complete made of SS pipe & SS sheet.
- Six removable plastic bins and two polystyrene lockable storage units with smooth drawers each.
- One SS I.V. rod.
- Mobile on 100mm special Castors with Buffers
- Overall size: 42L X 15W X 66H inch. SS Tubular frame.
- ALSO AVAILABLE IN MS STRUCTURE.

LAPAROSCOPY TROLLEY



Description:

- MS construction .
- Three-shelves with railing and One drawer.
- Four set electric switches.
- 100mm special castor
- Suitable Keeping Monitor , Light source, Camera unit, VCR, Printer. all switch, socket and MCV are Pritam Brand.
- Trolley having SS two handle and M.S oxygen cage
- Overall size- 32L X 24W X 55H inch.
- Finish: Pretreated & Epoxy Asian paint Powder coated.

SUTURE TOLLEY

Description:

- Body frame made of MS / SS CRCA sheet 20 swg.
- Push handle provided
- 16 molded medicine racks provided
- SS shelf provided
- 4 anti-rust 125mm wheels provided
- Overall size: 32L X 20W X 60H inch.

• **Optional:** Also available in MS.



CRASH TROLLEY ABS MODEL



Description:

- ABS plastic top board with ARC handle & Raised-edge design.
- Central lock 2 small. 2 Middle & 1 Big Drawer.
- Back side : Oxygen tank holder, CRP Board our standard power outlet & hooks plastic-nested columns.
- Mounted on Four Luxurious Noiseless 4" casters with two Break.
- Multiple Accessories Available including hanging basket, Dustbin, File Boxes, Display platform oxygen tank holder cardiac board power outlet & hooks etc.

BABY COT (MS)



Description:

- Strong tubular mild steel in four rubber stumps with fixed bright bar mesh Crib.
- Leg fixed with rubber stumps.
- Finish: Pretreated and Asian paint coated finish.
- Overall Size: 28L X 16W X 34H inch.

BABY COT (SS)



Description:

- Strong tubular stainless steel in four rubber stumps with fixed bright bar mesh Crib.
- Mobile on 50mm twin castors
- Overall Size: 28L X 16W X 34H inch.
- Finish: Mirror polished finish.



BABY CRIB (MS)

Description:

- Strong tubular mild steel in four rubber stumps with bright bar mesh Crib.
- Pretreated and Asian paint coated finish.
- Mobile on 50mm twin castors
- Overall Size: 40L X 20W X 36H inch.



BUNK BED

Description:

- Frame work made of rectangular & square heavy CRCA pipe.
- Pretreated and Asian paint coated finish..
- Overall Size: 78L X 32W X 80H inch.

DRESSING TROLLEY SS

Description:

- Complete made of SS
- Two shelves covered with three side railing
- Provided with one Bowl & one Bucket.
- Mounted on 10 cms, castors
- Finish: Mirror & Glossy polish.
- Also available in MS .
- Overall size: 30L X 18W X 34H inch.



INSTRUMENT TROLLEY SS



Description:

- Complete made of SS
- Two shelves covered with three side railing
- Mounted on 10 cms, castors
- Overall size: 30L X 18W X 34H inch.
- Finish: Mirror & Glass polish.
- Also available in MS .

SERVICE TROLLEY THREE SHELVES SS




Description:

- Unit made of 304 / 202 Grade SS
- 4" PVC swivel castors
- Overall size: 30L X 24W X 38H inch.
- Finish: Mirror & Glossy polish .

MEDICINE TROLLEY SS

Description:

- Complete made of SS
- Two shelves covered with three side railing
- Two SS drawer under Top shelf.
- Mounted on 10 cms, castors
- Overall size: 30L X 18W X 34H inch.
- Finish: Mirror & Glass polish.
- Also available in MS .



SERVICE TROLLEY TWO SHELVES



GOODS CARRYING TROLLEY

Description:

- Body Frame work made of CRCA Sheet / Tubes.
- 6" removable castors.
- Overall Size: 42L X 30W X 20H inch.
- Finish: pretreated & epoxy Asian paint powder coated.



PLATFORM TROLLEY



Description:

- Body Frame work made of CRCA Sheet / Tubes.
- 6" removable castors with two brakes.
- Overall Size: 42L X 30W X 10H inch.
- Finish: pretreated & epoxy Asian paint powder coated.

HOSPITAL LAUNDRY TROLLEY



Description:

- Body Frame work made of CRCA Sheet / Tubes.
- 6" removable castors with two brakes.
- Overall Size: 18L X 24W X 32H inch.
- Finish: pretreated & epoxy Asian paint powder coated.

OXYGEN CYLINDER TROLLEY



OBLIQUE



JUMBO



'D' TYPE

ANESTHESIA MACHINE/TROLLEY




Description:

- Mild Steel powder-coated fully compact trolley.
- Stainless Steel table top tray. Six cylinder Capacity,
- Two O₂ & two N₂O 5 ltr water capacity and two 10 ltr water capacity cylinder at rear.
- Standard Two-tube Rota Meter (230mm long) for O₂ & N₂O.

ANESTHESIA MACHINE/TROLLEY ALL SS

Description:

- Stainless Steel fully compact trolley.
- Stainless Steel table top tray. Six cylinder Capacity,
- Two O₂ & two N₂O 5 ltr water capacity and two 10 ltr water capacity cylinder at rear.
- Standard Two-tube Rota Meter (230mm long) for O₂ & N₂O.



CLASSIC COMPACT MARK IV



Description:

- 2 Gas systems Hypoxia guard Rota meter-pneumatic device
- Ensures no flow, if oxygen flow is lower than 0.5 ltr/min.
- EApprox. Minimum 25% (+5%) Oxygen (1:3 mixed ratio
- Between O₂ & N₂O) in Surgery gas mixture.
- Oxygen locked N₂O supply Oxygen failure warning device.

VERTICAL HIGH PRESSURE STERILIZER

Description:

- Bowl construction made of SS. cast iron base.
- Fitting elements are brass. Covered with chrome.



HORIZONTAL HIGH PRESSURE STEAM STERILIZER

Description:

- The Sterilizer is mounted on tubular mild steel frame with ground leveling flingers.

E. Load 16" * 36" 6.0 K. W
 16" * 48" 9.0 K.W
 20" * 48" 12 K.W
 30" * 48" 18 K.W

- OPTIONAL: Printer available



ETHYLENE OXIDE GAS (ETO) STERILIZERS

Description:

- Ejector type Vacuum
- PID type Temp. Control
- Automatic Gas Inlet (Cartridge Puncture)
- Inbuilt steam Generator
- Complete process in negative pressure
- Aeration Min 3hrs.
- Process Phase Indicator
- Online Printing(Time,Temp,pressure, RH, phase indication)
- Usb data Storage / 21 cfr part 11 scada For data Store and graph (Optional).



ELECTRIC LABOUR TABLE

Description:

- Main frame made of heavy CRCA pipe.
- Three sectional top made of bakelite sheet with mattress.
- Advanced linear actuator to obtain all positions.
- Leg end section can slide under the main section.
- Provided with a pair of lithotomy crutches.
- SS telescopic I.V. rod.
- Detachable SS tray.
- Positions obtained by hand remote :
 01. Hi-Low
 02. Back-rest elevation
 03. Trendlenburg & reverses trendlenburg.
- Size: 78L X 26W X 26.5 - 37.5H inch.



SECTION DELIVERY TABLE

Description:

- Tubular frame work made in two sections.
- Body part with leg mounted on rubber stumps & Leg part on 4" castors
- Head flap adjustable by ratchet
- Finished : Pretreated & Epoxy Asian prints powder coat
- Size : 78L X 30W X 30H inch.

• **Optional : Mattress.**



OBSTETRIC LABOUR ALL MS

Description:

- Main frame made of MS Tubular pipe & SS sheet
- Three sectional top, back-rest adjustable by ratchet system.
- Trendelenburg position obtain by pneumatic pump system.
- Provided with SS side safety railing, one pair hand grip, one SS I.V. rod.
- Middlesection with "U" cut, leg section can slide under main frame.
- Sliding SS douche tray.
- Leg fitted on four rubber stamps.
- Size: 72H X 27W X 30H inch.
- LABOUR OBS/GYNAE TABLE

• **Optional : Mattress.**



EXAMINATION COUCH

Description:

- Body frame work made of CRCA sheet.
- Two sectional top with non-detachable mattress.
- Head rest adjustable by gas pneumatic pump.
- 3 Drawer, 3 cabinets, one BP apparatus.
- Foot step in middle at bottom side, fitted with Telescopic channel.
- Overall size: 72L X 22W X 32H inch
- Finish: pretreated & epoxy Asian paint powder coated.

- **Optional:** SS/MS foot step.



EXAMINATION COUCH GYNAE CART

Description:

- Body frame work made of CRCA sheet.
- Two sectional top with non-detachable mattress.
- Head rest adjustable by gas pneumatic pump.
- 3 Drawer, 3 cabinets, one BP apparatus.
- Foot step in middle at bottom side, fitted with Telescopic channel.
- Lithotomi pads bothside at leg-end .
- Overall size: 72L X 22W X 32H inch
- Finish: pretreated & epoxy Asian paint powder coated.

- **Optional:** SS/MS foot step.



EXAMINATION TABLE (GENERAL)



Description:

- Body frame work made of MS CRCA sheet & rectangular tube.
- Head-rest adjustable by Ratchet system.
- Leg fitted with rubber stamps.
- Overall size: 72L X 22W X 32H inch.
- Finish: pretreated & epoxy Asian paint powder coat.

EXAMINATION TABLE GYNAE CART

Description:

- Body frame work made of MS CRCA sheet & rectangular tube.
- Head-rest adjustable by Ratchet system.
- Leg fitted with rubber stamps.
- Bothside Leg rest belt at leg-end.
- Overall size: 72L X 22W X 32H inch.
- Finish: pretreated & epoxy Asian paint powder coat.



LABOUR TABLE FIX (SS)

Description:

- Body work made of tubonal pipe & Rectangular pipe.
- Top cover by SS top
- Lithotomi pads bothside at legend .
- Leg fitted with rubber stamps.
- Overall size: 72L X 26W X 32H inch
- Finish: pretreated & epoxy Asian paint powder coat

REVOLVING STOOL FOUR LEGS (SS)



**REVOLVING STOOL THREE LEGS
(MS BODY SS TOP)**



ATTENDENT STOOL (SS)



CHAIR



**REVOLVING STOOL WITH CUSHION
HEIGHT ADJUSTABLE WITH HYDRAULIC**



FOOT STEP SINGLE



FOOT STEP DOUBLE



SS TABLE WITH ONE UNDERSHELF



Description:

- Overall size: 900L x 550 W x 900H mm.
- The frame work will be made from square pipes of size 25mm x 25mm x 1.2mm thick stainless steel 304-quality material.
- Finished: argon welded and mirror polished

BOWL STAND

Description:

- Approx Height: 12 inch and castors 50mm.
- pretreated & epoxy Asian paint powder coated.
- Also available in complete SS.



DRESSING DRUM SS



SURGICAL BASIN SS



INSTRUMENT STERILIZER ELECTRIC SS



KIDNEY TRAY SS



INSTRUMENT TRAY WITH COVER SS



CATHETER TRAY WITH COVER SS



INSTRUMENT CABINET



Description: _____

- Overall size: 24L X 14W X 60H inch.
- Finish: pretreated & epoxy Asian paint powder coated

OPERATION THEATER INSTRUMENT CABINET SS



Description: _____

- Size : 36L X 20W X 72H inch.
- Finish : Stainless Steel 304 / 202 Grade fully mirror polished.

HOSPITAL STORAGE RACK



ALMIRAH



6 CHAMBER ALMIRAH




WAITING AREA CHAIR (WITH CUSHION)



Description:

- Perforated sheet.
- Galvanized arm rest.
- Chrome plated finish.

THREE SEATER WAITING CHAIR



TWO SEATER WAITING CHAIR

Description:

- Three seating chair.
- Mild steel frame work.
- Chrome plate finished.

WHEEL CHAIR



FOLDABLE WHEEL CHAIR MS POWDER COATED



FIXED WHEELCHAIR (SS)



FOOD DISTRIBUTION TROLLEY



Description:

- Size : 35.5L X 22W X 34H inch.
- Finish: Stainless Steel 304 Grade fully mirror polished.

HOT FOOD TROLLEY



FOUR BURNER OVEN



FOOD DISTRIBUTION TROLLEY



KITCHEN TABLE (8 SEATER)



KITCHEN TABLE (4 SEATER)



DOUBLE SINK



Description:

- The work top will be made from 1.5mm thick stainless steel 304 quality materials with sinks of size 23L X 15W X 12H inch.
- The unit will be provided with 4 nos.

SINGLE SINK



Description:

- Four side enclosed by 1.6mm SS sheet.
- Foot and elbow operated.
- Drainage at the middle with sinks of size 30L X 20W X 52H inch..
- Finish: Mirror & Glossy polish .

SCRUB STATION

Description:

- Four Side enclosed by 1.6mm SS sheet.
- Available water operation hand free control.
- Foot & elbow operated push panel, in case of sensor / power failure.
- Drainage at the middle.
- size : 45L X 20W X 52H inch.
- Finish: Mirror & Glossy polish.



CANVUS LINEN TROLLEY



RECTANGULAR LINEN TROLLEY



BASKET LINEN TROLLEY



BIO MEDICAL WASTE BIN TROLLEY

Description:

Overall size: 52L x 14W x 20H inch.
 Being a well known organization, we are also engaged in offering a wide range of colour coded bins with trolley to meet the demands of our clients. These products are available in different range of alluring colours and are offered in different sizes and dimensions. All these products are well equipped and ensure long lasting service. Stainless steel frame and trolley on castors with foot operating system and one. Autoclavable and environment friendly, reusable plastic bins as per Bio Medical Waste colour coding.



Features:

- Easy maintenance.
- Durable.
- Attractive in looks.



OFFICE CHAIR



OFFICE TABLE



SCHOOL TABLE & CHAIR





MATTRESS



RAILINGS



WHEELS



BED HANDLE AND SCREW



HEAD PANEL AND LEG PANEL






MANUFACTURING OF HOSPITAL FURNITURE, INSTRUMENTS & MEDICAL EQUIPMENTS

DEEPAK HEALTH CARE PRODUCTS

HEALTH SPECIALTY PRODUCTS

 EA-1B/292, Shah Industrial Estate Under Palan Industrial Estate
Gangarampur Road, P.O. - Raipur, P.S.- Maheshtala,
South 24 Pgs. Kolkata-700141, (W.B) India

 +91 9830241636 / 6289325212 / 7003660702

 dhcproducts2015@gmail.com / deepakjaiswal266@gmail.com

 www.deepakhealthcareproducts.com



Authorize to.